RED RABBIT®

Dongguan Baijin Packing Material Co., Ltd.

20 Years Eco-friendly degradable kraft paper tape
Professional manufacturer

COMPANY PROFILE

Dongguan Baijin Packing Material Co., Ltd. is a kraft paper tape factory specializing in the production of adhesive tape products. Our factory covers a total area of 12,000 square meters and has more than 100 employees, including more than 10 senior technicians and more than 20 professional business teams. With rich experience and sufficient production capacity, we are always oriented to customer needs, provide them with reliable support and services, and have accumulated 20 years of rich experience in manufacturing environmentally friendly tapes.

Currently, we have pressure-sensitive adhesive production and multi-functional coating, slitting, printing and packaging integrated production lines to meet various needs. Our products are sold in domestic and foreign markets, and we have cooperated with many well-known brands. We contribute to the green environmental protection of the earth. As a company with strong technical strength and a complete management system, we strictly control every aspect of production to ensure that the quality of environmentally friendly kraft paper tape is reliably guaranteed and the stability of the product is maintained.

Our products have passed the EU's ROHS international environmental certification, (SVHC) REACH certification, FSC certification and SGS certification, etc. These certifications mark our commitment to environmental protection and our unremitting pursuit of product quality.

MAIN PRODUCTS

Main products: Water-activated Eco-friendly degradable kraft paper tape, Reinforced Eco-friendly kraft paper tape, Self-adhesive rubber and hot melt adhesive kraft paper tape, Brand printing kraft paper tape, kraft paper tape jumbo roll, Veneer edge sealing and repair tape, kraft paper bundling hot-pressed wire harness tape , kraft paper packaging wrapping film protective paper, water-activated gummed coated paper, wooden board and acrylic board protective paper, gypsum board edge sealing protective tape.

Corporate Purposes

Intensive research and innovation, quality as the core, integrity management, and win-win cooperation.

Corporate Mission

We are committed to developing and producing tape products that meet environmental protection standards, providing customers with sustainable packaging solutions, and jointly building a green earth.

Corporate Vision

Make environmental protection a habit and establish an international environmental protection brand.

20 years
Rich Experience

100
Staff

12000 m^2
Area

Water-activated Eco-friendly degradable kraft paper tape

Product Description

Water-activated kraft paper tape is a green product. Its base material is made of pure wood pulp. The environmentally friendly adhesive will not cause pollution to the environment and can be recycled along with the packaging. It is mainly used to replace pressure-sensitive adhesive tapes. Used for sealing and packaging.

Product Features

100% recyclable, environmentally friendly and pollution-free, high viscosity, fast bonding, etc.

Usage

Suitable for packaging and sealing, fixing items, pasting mosaic tiles, screen printing grids,etc.

Natural color

BJ-N650H

Water-Activated kraft tape is a green Eco-friendly material product. The base material is pure wood pulp kraft paper and starch glue which will not cause pollution to the environment and can be recycled together with the packaging.

Base material	Jumbo Roll Size	Paper weight	Glue	Total weight	Thickness		longitudinal pull		lateral pull	
	Width(mm)×Length(m)	g/㎡	g/㎡(±2g/㎡)	g/㎡(±2g/㎡)	Mils	mm	lbs/in	N/25mm	lbs/in	N/25mm
Kraft paper	1008mm × 2000m 1080mm × 2000m	65	20	85	4.33	0.11	25	113	15	69

Natural color

BJ-N700H

Water-Activated kraft tape is a green Eco-friendly material product. The base material is pure wood pulp kraft paper and starch glue which will not cause pollution to the environment and can be recycled together with the packaging.

Base material	Jumbo Roll Size	Paper weight	Glue	Total weight	Thickness		longitudinal pull		lateral pull	
	Width(mm)×Length(m)	g/㎡	g/㎡(±2g/㎡)	g/㎡(±2g/㎡)	Mils	mm	lbs/in	N/25mm	lbs/in	N/25mm
Kraft paper	1008mm × 2000m 1080mm × 2000m	70	20	90	5.12	0.13	25	110	24	105

Natural color

BJ-N800H

Pure wood pulp 80G kraft paper, suitable for sealing heavy goods, good load-bearing capacity, Eco-friendly and biodegradable, brand printing, mainly used for sealing cartons, bundling, etc.

Base material	Jumbo Roll Size	Paper weight	Glue	Total weight	Thickness		longitudinal pull		lateral pull	
	Width(mm)×Length(m)	g/㎡	g/㎡(±2g/㎡)	g/㎡(±2g/㎡)	Mils	mm	lbs/in	N/25mm	lbs/in	N/25mm
Kraft paper	1008mm × 2000m 1080mm × 2000m	80	20	100	5.71	0.145	34	152	34	153

Natural color

BJ-N900H

Pure wood pulp 90G kraft paper is suitable for customers who have higher requirements for load-bearing capacity. It is suitable for sealing heavier goods. It is Eco-friendly and biodegradable. It is mainly used for sealing cartons, bundling, etc.

Base material	Jumbo Roll Size	Paper weight	Glue	Total weight	Thickness		longitudinal pull		lateral pull	
	Width(mm)×Length(m)	g/㎡	g/㎡(±2g/㎡)	g/㎡(±2g/㎡)	Mils	mm	lbs/in	N/25mm	lbs/in	N/25mm
Kraft paper	1008mm × 2000m 1080mm × 2000m	90	20	110	6.3	0.16	51	231	27	123

Natural color

BJ-N700Y

70g pure wood pulp kraft paper supports brand printing and is mainly used for sealing lightweight cartons, fixing picture frames, and wrapping gypsum boards, etc.

Base material	Jumbo Roll Size	Paper weight	Glue	Total weight	Thickness		longitudinal pull		lateral pull	
	Width(mm)×Length(m)	g/㎡	g/㎡(±2g/㎡)	g/㎡(±2g/㎡)	Mils	mm	lbs/in	N/25mm	lbs/in	N/25mm
Kraft paper	1008mm × 2000m 1080mm × 2000m	70	20	90	5.12	0.13	24	107	8	35

White

BJ-W700

70g white kraft paper, suitable for some high-end lightweight cartons, sealed packaging of gift boxes, printing of brand logos, and edge wrapping of gypsum boards, etc.

Base material	Jumbo Roll Size	Paper weight	Glue	Total weight	Thickness		longitudinal pull		lateral pull	
	Width(mm)×Length(m)	g/㎡	g/㎡(±2g/㎡)	g/㎡(±2g/㎡)	Mils	mm	lbs/in	N/25mm	lbs/in	N/25mm
Kraft paper	1080mm × 2000m	70	22	92	4.52	0.115	29	128	21	92

Reinforced Water Activated Kraft Paper Tape

Product Description

Reinforce kraft paper tape is a green product. Its base material is made of pure wood pulp. The environmentally friendly adhesive will not cause pollution to the environment and can be recycled along with the packaging. It is mainly used to replace pressure-sensitive adhesive tapes. Used for sealing and packaging.

Product Features

Reinforced design: This kind of tape adds fiber thin threads to the kraft paper base material for composite processing, which enhances the tape's stretch and tear resistance, making the tape stronger and more durable.
High viscosity: Using Eco-friendly and degradable glue, it has extremely strong adhesion properties. It can be firmly bonded to various surfaces to ensure the firmness of closure and packaging.
Strong durability: The clamped design makes the tape more durable and can withstand greater stretching and tearing forces.
Waterproof and moisture-proof: Made of waterproof and moisture-proof kraft paper material, combined with high-quality glue, it can maintain good adhesion performance even in humid environments and will not fall off easily.
Environmental protection: Some modern reinforced kraft paper tapes are made of environmentally friendly materials, comply with environmental standards and are environmentally friendly.

Usage

suitable for a variety of closing, bundling and packaging needs, such as sealing boxes, bundling heavy objects, packaging goods, etc. It can be used for closing and fixing different materials such as cartons, cardboard, wood, and plastics.

Natural color

BJ-120D

Two layers of 35g kraft paper and glass fiber thread are compounded by a special process, which makes the tape have excellent tensile strength and tear resistance, and can be transported in harsh environments. It is mainly used for brand packaging, sealing cartons, and bundling.

Base material	Jumbo Roll Size	Paper weight	Glue	Total weight	Thickness		longitudinal pull		lateral pull	
	Width(mm)×Length(m)	g/㎡	g/㎡(±2g/㎡)	g/㎡(±2g/㎡)	Mils	mm	lbs/in	N/25mm	lbs/in	N/25mm
Kraft paper	930/955/1165mm 2650m	35+35	25	120	5.51	0.14	43	190	28	123

Natural color

BJ-125D

35g, 42g of kraft paper and glass fiber thread are compounded by special technology, which makes the tape have excellent tensile strength and tear resistance, and can be used in cold and harsh environments. The tape will not be rolled up. It is mainly used for Branded packaging, sealed cartons, bundled.

Base material	Jumbo Roll Size	Paper weight	Glue	Total weight	Thickness		longitudinal pull		lateral pull	
	Width(mm)×Length(m)	g/㎡	g/㎡(±2g/㎡)	g/㎡(±2g/㎡)	Mils	mm	lbs/in	N/25mm	lbs/in	N/25mm
Kraft paper	930/955/1165mm 2650m	35+42	25	125	6.69	0.17	51	227	22	97

Brown

BJ-126

It is composed of 40g and 40g kraft paper and glass fiber thread respectively through a special process. The tape has excellent tensile strength and tear resistance. It can be used in cold and harsh environments without rolling. It is mainly used for brand packaging. , seal the cartons and bundle them.

Base material	Jumbo Roll Size	Paper weight	Glue	Total weight	Thickness	longitudinal pull		lateral pull	
	Width(mm)×Length(m)	g/㎡	g/㎡(±2g/㎡)	g/㎡(±2g/㎡)	mm	lbs/in	N/25mm	lbs/in	N/25mm
Kraft paper	1165mm X 2650m	40+40	25	130	0.15	68	303	31	136

White

BJ-130F

The special packaging tape is made of two layers of white 40g kraft paper and fiber thread. It is characterized by its white color. It is used for customers with special advanced packaging requirements. It can be used and transported in harsh environments for brand packaging and printing.

Base material	Jumbo Roll Size	Paper weight	Glue	Total weight	Thickness	longitudinal pull		lateral pull	
	Width(mm)×Length(m)	g/㎡	g/㎡(±2g/㎡)	g/㎡(±2g/㎡)	mm	lbs/in	N/25mm	lbs/in	N/25mm
Kraft paper	915/955mm×2650m	40+40	25	130	0.15	68	303	31	136

White

BJ-130E

It is composed of 40g white kraft paper and 35g natural color kraft paper and glass fiber thread through a special process. It is economical and affordable for special packaging requirements. It can be used for sealing cartons and bundling.

Base material	Jumbo Roll Size	Paper weight	Glue	Total weight	Thickness	longitudinal pull	lateral pull
	Width(mm)×Length(m)	g/㎡	g/㎡(±2g/㎡)	g/㎡(±2g/㎡)	mm	N/25mm	N/25mm
Kraft paper	915/955mm×2650m	40+35	33	130	0.141	240	105

Kraft gumme tape jumbo roll

Kraft Paper Tape Dispenser

Kraft paper tape dispenser is a special tool for using kraft paper tape. It is designed to simplify the application of kraft paper tape during packaging and sealing tasks. It can save a lot of labor costs, improve work efficiency, and is more flexible. Frequently used styles are manual Kraft Paper Tape Dispenser, Semi-Automatic Kraft Paper Tape Dispenser, Fully Automatic Kraft Paper Tape Dispenser

PRODUCT DESCRIPTION

Model	BJ—SD001(Manual)	Suitable for paper	Water activated kraft paper tape
Machine size	45*110*145mm	Tape width	30-80mm
Package size	46*112*147 mm	Paper length	320m
Net weight	0.6kg	Diameter	170mm
Gross weight	0.9kg	Water storage capacity	120m1

Model	FX-800(semi-automatic)	Tape width range	15-110mm
Product size	495*318*240mm	Tape length range	20-2000mm
Dimensions	450*280*230mm	Tape width	20-80mm
Machine net weight	9.5kg	Tape length	100-1000mm
Product weight	10kg	Maximum diameter of paper roll	200mm

Model	NT-AT(Automatic)	Coating film width	4-8cm
Output speed	30cm/s	Packing specification	45*33*28cm
Power	200W	Net weight	12kg
Voltage	100-230v	Gross weight	16kg
Shell Material	Metal Alloy	/	/

Model	SP2(Automatic)	Packing specification	59*32*34cm
Speed	60cm/s	Net weight	12kg
Power	100W	Gross weight	13.5kg
Voltage	100-230v	Tape width range	4-8cm
Shell material	ABS	Tape maximum diameter	21cm

FULL RANGE OF SELF-ADHESIVE KRAFT PAPER TAPES

We deeply understand the importance of environmental protection in today's society, therefore, our self-adhesive kraft paper tapes are always oriented by environmental protection from material selection, manufacturing process to life cycle. The base material of the tape is natural kraft paper, which is degradable and reduces the burden on the environment. Our self-adhesive kraft paper tape uses advanced adhesive technology to ensure a strong bond on a variety of surfaces. Whether it is paper, plastic, wood or metal, it can be easily dealt with, ensuring that your items are always kept in ideal condition, committed to continuous improvement, using environmentally friendly adhesives, the tape will not release harmful substances during use, for you Provide environmentally friendly and reliable bonding solutions.

Features

Environmentally friendly material: The base material is made of natural kraft paper, which is biodegradable and has little impact on the environment, meeting the environmental protection requirements of sustainable development.

Strong Adhesive: It has excellent adhesive performance and can be firmly attached to a variety of surfaces to ensure that items remain in a stable state.

Easy to tear: This tape is designed to tear easily for increased ease of use.

Multi-purpose application: It is suitable for many different application scenarios, whether it is sealing, packaging, bundling, or fixing, repairing, and marking, it can be competent.

Durability: The kraft paper material gives the self-adhesive kraft paper tape good durability and tear resistance, and it can maintain stable performance even under high pressure.

Environmentally friendly adhesive: The use of environmentally friendly adhesive reduces the release of harmful substances and meets environmental protection standards.

Easy to write on: The surface of vellum is often easy to write on, so it can be used for marking and labeling, making it easy to identify and organize items.

Customizability: It can be customized according to customer needs, including different sizes, colors and printing patterns, etc.



Your environmental partner

Choosing our self-adhesive kraft paper tape is not only choosing excellent adhesive performance, but also supporting the cause of environmental protection. We promise to continue to invest in innovative research and development, continuously improve product performance, and provide you with better bonding solutions. Thank you for your attention to environmental protection and quality, let us work together to contribute to creating a better green future.

Product Description

- Easy to tear
- Water proof
- Strong tensile strength
- Writable mark
- Brand printing

K1(PE)Self-adhesive kraft paper tape

Product Description

BJ-K1(PE)Self-adhesive kraft paper tape is a green and environmentally friendly product. Its base material and adhesive reduce environmental pollution and can be recycled with the packaging. It is silent, waterproof, oil-resistant and tensile-resistant, with high adhesion and strong weather resistance.

Applications

Sealing boxes, masking writing, splicing master rolls, mounting photo frames, preventing cartons from being tampered with and being quickly pasted and fixed without the need for wet water.

Storage conditions

It is recommended to store in a clean, dust-free and dry place. The packaging should be prevented from being damaged and no volatile solvents should be used for storage. The storage temperature is 20℃~26℃ and the humidity is between 40%~50%. It is recommended to rotate the inventory.

Base material	Color	Jumbo Roll Size	Total Weight	Glue	Thickness	Tensile Strength	Holding power	Initial tack	180°peel force
kraft paper(PE)	Natural	1020mm*1500m	115g ± 2g/m²	Hot Melt	0.12mm	105N/25mm	14H/25mm	11#	22N/25mm

Show Details

Flat cut


Easy to tear

Waterproof & impermeable

High viscositye

K2 Writable(Non PE)Self-adhesive kraft paper tape

Product Description

BJ-K2 Writable（Non PE）Self-adhesive kraft paper tape has the characteristics of waterproof,oil-proof, high adhesion and durability. It has strong longitudinal and transverse tensile strength, high paper softness and can fit perfectly with the carton, clear writing, environmentally friendly and pollution-free, recyclable and renewable resources, strong weather resistance, and not susceptible to moisture.

Applications

Carton sealing, gift packaging, font masking, splicing, and photo frame mounting to prevent cartons from being tampered with and quickly pasted and fixed.

Storage conditions

It is recommended to store in a clean and dry place, prevent packaging damage, and do not use volatile solvents for storage. The storage temperature is 20℃~26℃ and the humidity is between 40%~50%. It is recommended to rotate the inventory.

Base material	Color	Jumbo Roll Size	Total Weight	Glue	Thickness	Tensile Strength	Holding power	Initial tack	180°peel force
kraft paper (NON PE)	Natural	1020mm*1500m	112g ± 2g/m²	Hot Melt	0.13mm	120N/25mm	12H/25mm	9#	16.3N/25mm

Show Details

K3 Yellowish Self-adhesive kraft paper tape

Product Description

BJ-K3 Yellowish Self-adhesive kraft paper tape is a green and environmentally friendly product. Its base material and adhesiveness will not cause pollution to the environment and can be recycled with the packaging. It is waterproof and oil-proof, silent, quick to stick and fix, and has high adhesion. strong weather resistance.

Applications

Carton sealing, gift packaging, photo frame fixing, and parent roll splicing can prevent the carton from being tampered with and be quickly pasted and fixed.

Storage conditions

It is recommended to store in a clean and dry place, prevent packaging damage, and do not use volatile solvents for storage. The storage temperature is 20℃~26℃ and the humidity is between 40%~50%. It is recommended to rotate the inventory.

Base material	Color	Jumbo Roll Size	Total Weight	Glue	Thickness	Tensile Strength	Holding power	Initial tack	180°peel force
kraft paper (Non PE)	Yellowish	1020mm*1500m	110g ± 2g/m²	Hot Melt	0.12mm	98N/25mm	8H/25mm	12#	21N/25mm

Show Details

K4 White Self-adhesive kraft paper tape

Product Description

BJ-K4 White Self-adhesive kraft paper tape is a green and environmentally friendly product. Its base material and adhesive will not cause pollution to the environment and can be recycled with the packaging. It is waterproof and oil-proof, silent, fast to adhere and fix, and has high adhesion. , strong weather resistance.

Applications

High-end product packaging, gift packaging, preventing cartons from being tampered with, and fast pasting and fixing.

Storage conditions

It is recommended to store in a clean and dry place, prevent packaging damage, and do not use volatile solvents for storage. The storage temperature is 20℃~26℃ and the humidity is between 40%~50%. It is recommended to rotate the inventory.

Base material	Color	Jumbo Roll Size	Total Weight	Glue	Thickness	Tensile Strength	Holding power	Initial tack	180°peel force
Kraft paper	White	1020mm*1500m	105g ± 2g/m²	Hot Melt	0.12mm	120N/25mm	28H/25mm	13#	20N/25mm

Show Details


Premium Brand Packaging Diversity


Easy to tear

Waterproof & impermeable

High viscositye

K5 Acrylic oil glue kraft paper tape

Product Description

BJ-K5 Acrylic oil glue kraft paper tape is waterproof, temperature-resistant, can be written on, has little environmental pollution, is recyclable, has strong weather resistance, and can be quickly pasted and fixed.

Applications

Sealing packaging, temperature-resistant fixed paper, master roll or splicing during leather processing, etc.

Storage conditions

It is recommended to store in a clean and dry place, prevent packaging damage, and do not use volatile solvents for storage. The storage temperature is 20℃~26℃ and the humidity is between 40%~50%. It is recommended to rotate the inventory.

Base material	Color	Jumbo Roll Size	Total Weight	Glue	Thickness	Tensile Strength	Holding power	Initial tack	180°peel force
kraft paper	Natural	1020mm*1500m	125g ± 2g/m²	Acrylic oil	0.13mm	170N/25mm	8H/25mm	8#	20N/25mm

Show Details

K6 Natural Rubber self-adhesive kraft tape

Product Description

BJ-K6 Rubber water-free kraft paper tape is a special paper tape. It is waterproof, has strong adhesion, has high paper softness and can perfectly fit into the carton. It has clear writing, is printable, has strong temperature and weather resistance, strong adhesion, and can be recycled and reused.

Applications

Sealing, packaging, fixing, marking and reuse, printing brand logo, express postal package.

Storage conditions

It is recommended to store in a clean and dry place, prevent packaging damage, and do not use volatile solvents for storage. The storage temperature is 20℃~26℃ and the humidity is between 40%~50%. It is recommended to rotate the inventory.

Base material	Color	Jumbo Roll Size	Total Weight	Glue	Thickness	Tensile Strength	Holding power	Initial tack	180°peel force
kraft paper	Natural	1250mm*1500m	124g ± 2g/m²	Natural rubber	0.14~0.16mm	150N/25mm	24H/25mm	10#	≥8N/25mm

Show Details

Writeable and legible

Use non-residual glue

Strong stretch resistance

High viscositye

K7 Self-adhesive kraft paper tape

Product Description

BJ-K7 self-adhesive kraft paper tape has moderate air permeability and strong initial tack. The paper is soft and can fit perfectly with the carton. It is environmentally friendly and pollution-free, has clear writing, is recyclable and has strong weather resistance. This tape is suitable for postal express packages.

Applications

Express carton sealing, gift packaging, preventing cartons from being tampered with, and fast pasting and fixing.

Storage conditions

It is recommended to store in a clean and dry place, prevent packaging damage, and do not use volatile solvents for storage. The storage temperature is 20℃~26℃ and the humidity is between 40%~50%. It is recommended to rotate the inventory.

Base material	Color	Jumbo Roll Size	Total Weight	Glue	Thickness	Tensile Strength	Holding power	Initial tack	180°peel force
kraft paper	Natural	1020mm*1500m	120g ± 2g/m²	Hot Melt	0.13mm	120N/25mm	10H/25mm	8#	14N/25mm

Show Details

K8 Reinforced Self-adhesive kraft paper tape

Product Description

BJ-K8 reinforced self-adhesive kraft paper tape has strong tensile strength, good heavy-weight capacity, strong adhesion, waterproof and oil-resistant, tensile strength, durability, and suitable for sealing heavy objects.

Applications

Heavy-duty sealing packaging can prevent the carton from being tampered with and be quickly pasted and fixed.

Storage conditions

It is recommended to store in a clean and dry place, prevent packaging damage, and do not use volatile solvents for storage. The storage temperature is 20℃~26℃ and the humidity is between 40%~50%. It is recommended to rotate the inventory.

Base material	Color	Jumbo Roll Size	Total Weight	Glue	Thickness	Tensile Strength	Holding power	Initial tack	180°peel force
kraft paper	Natural	930mm*1000m	155g ± 2g/m²	Hot Melt	0.16mm	210N/25mm	22H/25mm	18#	22N/25mm

Show Details

K12 Natural Rubber self-adhesive kraft tape

Product Description

BJ-K12 Rubber water-free kraft paper tape is a special paper tape. It is waterproof, has strong adhesion, has high paper softness and can perfectly fit into the carton. It has clear writing, is printable, has strong temperature and weather resistance, strong adhesion, and can be recycled and reused.

Applications

Sealing, packaging, fixing, marking and reuse, printing brand logo, express postal package.

Storage conditions

It is recommended to store in a clean and dry place, prevent packaging damage, and do not use volatile solvents for storage. The storage temperature is 20℃~26℃ and the humidity is between 40%~50%. It is recommended to rotate the inventory.

Base material	Color	Jumbo Roll Size	Total Weight	Glue	Thickness	Tensile Strength	Holding power	Initial tack	180°peel force
kraft paper	Natural	1020mm*1500m	112g ± 2g/m²	Natural rubber	0.13mm	120N/25mm	24H/25mm	3#	⩾10.3N/25mm

Show Details

Veneer Tape

Product Description

Veneer tape is used to join two pieces of veneer and keep the seam tight while the adhesive cures. The beauty of this water-activated veneer joint tape is that it shrinks as it dries. It is this shrinking action that pulls the veneers together and makes a well-cut joint almost invisible.

Features

Excellent adhesion, not effected by the climate, not easy to break, non-toxic and environment-friendly.



Effect

Mainly used in the production of veneer, gypsum board, wooden door, furniture, and repair and splicing of wooden veneer or

Model Number	Color	Total Weight	Thickness	Width	Length
BJ-FB001	Natural	105g/m2	0.13-0.14mm	7/8/9mm	450m/500m/550m /1000m

Veneer Repairing Tape (Oval hole/Round hole)

Product Description

Used to join two veneer and keep the joint tight while the adhesive cures. The tape has an adhesive coating on one side that needs to be activated with a little water (e.g. with a sponge or a wet cloth) before use. After pressing, the tape can be sanded off withou tresidue. When the product is not in use please keep it sealed.

Features

The advantage of this water-activated veneer joint tape is that it shrinks as it dries. It is thisshrinking action that pulls the veneers together and makes a well-cut joint almost invisible.Excellent adhesion, not effected by the climate, not easy to break, non-toxic and environment-friendly.

Effect

Mainly used in the production of veneer, gypsum board, wooden door, furniture, and repair and splicing of wooden veneer or medium board.

Model Number	Color	Total Weight	Thickness	Width	Length	Shape
BJ-FB002	Natural	110g/m2	0.13-0.14mm	12/13/14/16/18mm	450m/500m/550m/1000m	Oval hole
BJ-FB003	White	68g/m2	0.06-0.07mm	12/14/16/18mm	450m/500m	Oval hole
BJ-FB004	Natural	60g/m2	0.065-0.07mm	16/19mm	200m/500m	Round hole
	White					

Eco- friendly kraft paper stretch film

Product Description

Kraft paper wrapping film can replace plastic stretch film. As an environmentally friendly alternative, the environmentally friendly and degradable product characteristics are used for palletizing, which greatly reduces the use of plastic films.

Features

Environmentally friendly and sustainable: Kraft paper stretch film uses natural kraft paper as the basic material, replacing the use of plastic stretch film with a more environmentally sustainable option, helping to reduce the impact on the environment.

Excellent packaging performance: Compared with traditional stretch film, kraft paper stretch film also has excellent stretch performance and can tightly wrap goods, providing effective moisture-proof, dust-proof and protection.

Printable and customizable: Kraft paper stretch film can be easily printed and customized, making the brand logo and information more easily recognized by consumers and improving the market competitiveness of the product.

Easy to handle: Lightweight and flexible kraft paper stretch film is easy to handle and suitable for various packaging environments, while improving the work efficiency of the packaging process.

Usage

Manual stretch wrapping or automatic carton sealing machine 360 degree stretch wrapping.

Hot-pressed kraft paper binding wire harness

Made from 100% recycled kraft paper, making it a sustainable and environmentally friendly choice. Heat seal to create a strong, secure bond.

Product Description

Can be used in a variety of applications including bundling, strapping and securing. Non-toxic and FDA compliant for safe use in food and beverage applications. Available in a variety of widths, thicknesses and lengths to meet your specific needs.



Features

The material has strong heat resistance: The heated kraft paper strapping tape is made of kraft paper and can withstand a certain degree of high temperature.

Flexibility: The strapping tape has a certain degree of flexibility and plasticity and can be bent, stretched and adjusted as needed.

Wear resistance: Kraft paper strapping has good wear resistance and can withstand a certain amount of friction and pressure during the packaging process.

Eco friendly and degradable: Kraft paper is a natural material that is degradable and environmentally friendly



Product Usage

Packaging fixation: Heated kraft paper strapping can be used for packaging boxes, bundling packages or bundling packaging materials to ensure the stability and safety of items during transportation or storage.

Sealing and packaging: Strapping tape can be used to seal cartons, bags or other packaging containers to prevent items from being accidentally opened or contaminated.

Identification management: Strapping tape can be used to mark, identify or classify packages to facilitate management and identification.

Beautiful and tidy: Using kraft paper strapping can make the packaging look neater and more professional, and increase the appearance and texture of the product.



For use with strapping machines

Water Activated Coated Paper

Water-activated eco-friendly label tape is a special type of paper that is coated with starch glue and is commonly used for labels, stickers, posters, flyers, book covers and other printing and packaging applications. Here is some important information about label tape.

Coating

The characteristic of gummed coated paper is that its surface is coated with a glue coating, which can increase the gloss, printing quality and stickiness of the paper. This coating is usually high-gloss or semi-gloss and can provide impressive printing results .

Glue type

The glue used in water-activated environmental label tape can vary according to specific needs, and usually includes hot melt glue. Water-activated glue provides reliable adhesion during the labeling and packaging process.

Application fields

Gum coated paper is widely used in commercial printing and packaging industries. They can be used to make high-quality labels, such as food packaging labels, bottle labels, cosmetic labels, etc. Additionally, they are used to produce leaflets, magazine covers, posters and book covers to provide a more attractive appearance and print quality.

Printing technology

Gum coated paper is usually suitable for different printing technologies, including offset printing, digital printing, foil stamping, gravure printing, etc. This makes them useful in a variety of different printing projects.



Paper Drywall Joint Tape

In modern architecture and interior decoration, gypsum board is a widely used building material. Its elegant appearance and versatility make it the first choice of designers and decoration engineers. However, during drywall installation, its edges are often susceptible to damage and require additional protection and reinforcement. In order to solve this problem, drywall edging tape came into being.

Protect the edges of drywall

Drywall edges are fragile parts that are susceptible to damage, especially during renovations or from everyday use where they can be subject to impact, abrasion and other damage. One of the main functions of drywall tape is to provide an extra layer of protection, effectively preventing wear and damage to the edge of the drywall and extending its service life.

Improve decoration quality

Drywall edging tape not only protects the edges of drywall, but also improves the overall quality of your renovation project. By using edging tape, you can fill in cracks and unevenness around the edges of drywall, making it smoother and stronger. Not only does this enhance the durability of the drywall, it also improves the finish and aesthetics of your renovation project.

Customized brand printing

Another advantage of drywall edging tape is that it can be custom branded. Decoration companies or construction developers can print the company name, logo or other information on the edging tape according to their own brand image and style, thereby achieving the dual purposes of brand promotion and publicity. This not only enhances the brand's recognisability, but also adds a personal touch to the renovation project.

RED RABBIT®

Dongguan Baijin Packing Material Co., Ltd.

Tel: +(86)769-85260738

Fax: 0769-85260011

E-mail: sales04@dgbaijin.com.cn

Wechat/Whatsapp: +86 18506692729

Web: https://bjtapefactory.com
https://baijintape.com

Address: No.33 Minchang Road, 6th Industrial Zone, Nanzha, Humen Town, Dongguan City, Guangdong Province, China